

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (previously presented) A color imaging device comprising an array of light sensitive elements:
 - a first type of element sensitive to a blue spectral region;
 - a second type of element sensitive to a red spectral region;
 - a third type of element sensitive to a green spectral region;
 - a fourth type of element sensitive to a blue-green portion of said spectral region; andwherein the blue, green, and blue-green spectral region are substantially non-overlapping.
2. (original) A color imaging device as in claim 1 wherein said light sensitive elements are comprised of a photosensor and a transmissive color filter.
3. (original) A color image sensor comprising:
 - a substantially planar array of solid state light sensitive elements; and
 - a filter mosaic made up of individual filter elements which are superposed in one-to-one registry on said light sensitive elements, such mosaic being comprised of:
 - a first type of filter element transparent to green;
 - a second type of filter element transparent to red;
 - a third type of filter element transparent to blue;
 - a fourth type of filter element transparent to blue-green;and
 - wherein such filter elements are arranged in repeating patterns in two perpendicular directions throughout substantially the entire imaging area of the sensor.

4. (original) A color imaging device as in claim 3 wherein said pattern is:

R G B B-G
G R B-G B
B B-G R G
B-G B G R

5. (previously presented) A color imaging device comprising:
a first digital camera comprising a first sensor array and a first color filter for filtering all light except light associated with a red spectral region;

a second digital camera comprising a second sensor array and a second color filter excluding all light except that associated with a green spectral region;

a third digital camera comprising a third sensor array and a third color filter for filtering all light except light associated with a blue-green spectral region; and

a fourth digital camera comprising a fourth sensor array and a fourth color filter for filtering all light except light associated with a blue spectral region.

Claims 6-10 (cancelled)

11. (original) A color imaging device comprising an array of light sensitive elements:

a first type of element sensitive to a cyan spectral region;
a second type of element sensitive to a magenta spectral region;

a third type of element sensitive to a yellow spectral region;
a signal processing unit which calculate a red, green, blue, and blue-green value from signals to said signal processor from said first, second, and third element.

12. (original) A color imaging device as in claim 11 wherein said light sensitive elements are comprised of a photosensor and a transmissive color filter.

13. (original) A color imaging device as in claim 12 wherein said transmissive color filter for said cyan spectral region is between 400 and 600nm.

14. (original) A color imaging device as in claim 12 wherein said transmissive color filter for said magenta spectral region is between 400 to 500 nm and 600 to 700nm.

15. (original) A color imaging device as in claim 12 wherein said transmissive color filter for said yellow spectral region is between 500 to 700nm.

16. (original) A color imaging device as in claim 11 wherein said red value is calculated from magenta and yellow.

17. (original) A color imaging device as in claim 11 wherein said green value is calculated from cyan and yellow.

18. (original) A color imaging device as in claim 11 wherein said blue value is calculated from cyan and magenta.

19. (original) A color imaging device as in claim 11 wherein said blue-green value is calculated from cyan.

20. (original) A color imaging device comprising an array of light sensitive elements:

a first type of element sensitive to a blue (B) spectral region;

a second type of element sensitive to a red (R) spectral region;

a third type of element sensitive to a green (G) spectral region;
a fourth type of element sensitive to a cyan (C) portion of said spectral region;
wherein said light sensitive elements are comprised of a photosensor and a transmissive color filter; and
wherein said transmissive color filter are arranged in a pattern of:

R	G	B	C
G	R	C	B
B	C	R	G
C	B	G	R

21. (original) A color imaging device as in claim 20 wherein the spectral range of said cyan is 470 to 530 nm.

22. (cancelled)

23. (cancelled)